ELSEVIER

Volume 510, Numbers 1–2, 21 March 1996

Journal of Organometallic Chemistry

Contents

Regular Papers

Novel method for preparing bis(trimethylsilyl)amines via treatment with trimethylsilylamines and methyl iodide
Y. Hamada, Y. Yamamoto and H. Shimizu (Gunma, Japan) 1

Ligand migrations during the formation of some palladium–rhodium heterodinuclear complexes
S.-j. Lu, F.-p. Wei, X.-d. Wang (Lanzhou, People's Republic of China), H.-q. Wang and L.-r. Huang (Fuzhou, People's Republic of China) . . . 7

Reactions of tetrakis(trifluoromethyl)diphosphine and bis(trifluoromethyl)phosphine with ruthenium carbonyl clusters; X-ray structure of tetraruthenium carbonyl cluster derivatives
H.G. Ang, S.G. Ang, S.W. Du, B.H. Sow (Singapore, Singapore) and A.L. Rheingold (Newark, DE, USA) 13

Unimolecular rearrangement of α-silylcarbenium ions. An ab initio study
S.G. Cho (Taejon, South Korea) 25

Synthesis and structural characterization of $(\mu\text{-H})_2Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C_8H_{12})$ and $(\mu\text{-H})Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}C_{12}H_{19})$
K.O. Kallinen, M. Ahlgrén, T.T. Pakkanen and T.A. Pakkanen (Joensuu, Finland) 37

Electrochemical behaviour of some polyoxo clusters
D. Osella, M. Ravera (Torino, Italy), C. Floriani and E. Solari (Lausanne, Switzerland) 45

Cyclometallated compounds of palladium(II) with a 2,4-pentanedionate: the X-ray crystal structure of $[Pd\{4\text{-}(CHO)C_6H_3C(H)=NCy\}(H_3CCOCHCOCH_3)]$
J.M. Vila, M. Gayoso, M.T. Pereira, M. López Torres, J.J. Fernández (Santiago de Compostela, Spain), A. Fernández and B.E. Rivero (La Plata, Argentina) 51

Synthesis and structure of the iron-substituted silylacetylene $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2$ and its cobalt hexacarbonyl derivative $[(\eta^5\text{-}C_5H_5)Fe(CO)_2SiMe_2C]_2 \cdot Co_2(CO)_6$
E. Ramirez-Oliva, J. Cervantes, F. Cervantes-Lee (Guanajuato, Mexico), R.N. Kapoor and K.H. Pannell (El Paso, TX, USA) 57

Synthesis and characterization of cationic heteronuclear complexes of platinum(II) and silver(I) bridged by alkynyl ligands
I. Ara (Zaragoza, Spain), J.R. Berenguer (Logroño, Spain), J. Forniés (Zaragoza, Spain), E. Lalinde and M.T. Moreno (Logroño, Spain) 63

How bridging ligands and neighbouring groups tune the gold–gold bond strength
L.F. Veiros and M.J. Calhorda (Lisboa, Portugal) 71

Syntheses and structures of bis(tricarbonylchromium)-substituted α,ω-diphenylhexatriene complexes
T.M. Gilbert, F.J. Hadley, M.D. Simmons, C.B. Bauer and R.D. Rogers (DeKalb, IL, USA) 83

Preparation, crystal structure and thermal decomposition study of some trimethylsilyl esters of dicarbamic acids
R. Szalay, Zs. Böcskei, D. Knausz, Cs. Lovász, K. Újszászy, L. Szakács and P. Sohár (Budapest, Hungary) 93

Preparation and characterization of mixed alkyl amido complexes of gallium
S.T. Barry and D.S. Richeson (Ottawa, Canada) 103

Organoruthenium chalcogen complexes: synthesis of *tert*-butyl-cyclopentadienyl dicarbonyl ruthenium thio- and seleno-carboxylate complexes and crystal structure determination of $(^tBu\text{-}C_5H_4)Ru(CO)_2SCO(3\text{-}NO_2\text{-}C_6H_4)$ and $(^tBu\text{-}C_5H_4)Ru(CO)_2SeCO(3,5\text{-}(NO_2)_2\text{-}C_6H_3)$
I. Jibril, F.T. Esmadi, H. Al-Masri (Irbid, Jordan), L. Zsolnai and G. Huttner (Heidelberg, Germany) 109

Preparation and lithiation of tris(*o*-tolyldimethylsilyl)methane
A.I. Almansour (Riyadh, Saudi Arabia) 117

Dibenzo[*b,e*]-7,7,8,8-tetraneopentyl- and dibenzo[*b,e*]-7,7,8,8-tetraisopropyl-7,8-disilabicyclo[2.2.2]octa-2,5-dienes: interaction with tetracyanoethylene and transition metal chlorides
S. Kyushin, M. Ikarugi, K. Takatsuna (Gunma, Japan), M. Goto (Ibaraki, Japan) and H. Matsumoto (Gunma, Japan) 121

The chemistry of compounds of the type $Ru(\eta^5\text{-}C_5Me_4Et)(CO)_2X$ (X = Cl, Br or I)
K. Tabatabaeian and C. White (Sheffield, UK) 135

Preparation, spectroscopic properties and thermal stabilities of organomercury compounds containing the bulky ligand $(Me_3Si)_3C$ or $(PhMe_2Si)_3C$
S.S. Al-Juaid, C. Eaborn, P.D. Lickiss, J.D. Smith, K. Tavakkoli and A.D. Webb (Brighton, UK) 142

Symmetrization of methylmercury(II) and phenylmercury(II) salts induced by the tripodal ligand $N(CH_2CH_2PPh_2)_3$
F. Cecconi, C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca (Firenze, Italy) 153

Syntheses, spectroscopic characteristics and thermolytic rearrangements of bis-[(trimethylgermyl)methyl]platinum(II) and bis-[(trimethylstannyl)methyl]platinum(II) complexes
V. Christou and G.B. Young (London, UK) 157

Rate increases in the fluorination of bulky chlorosilanes caused by ultrasound or by water
P.D. Lickiss and R. Lucas (Salford, UK) 167

Crystallographic evidence of hexacoordination at phosphorus via intramolecular coordination of donor groups on phosphane and phosphane sulphide
M. Chauhan, C. Chuit, R.J.P. Corriu, C. Reyé (Montpellier, France), J.-P. Declercq (Louvain-la-Neuve, Belgium) and A. Dubourg (Montpellier, France) 173

Generation and conversion of the transient 1,1-bis(trimethylsilyl)-2-(2,4,6-triisopropylphenyl)-silene
F. Luderer, H. Reinke and H. Oehme (Rostock, Germany) 181

Homo- and hetero-bridged mixed-valence dinuclear complexes which contain the fragment '$Rh(C_6F_5)_3$'
M.P. García, M.V. Jiménez, T. Luengo and L.A. Oro (Zaragoza, Spain) 189
Chiroptische Effekte von Lanthanoidorganylen mit optisch aktiven Liganden. III. Erschließung wohldefinierter chiraler Organosamarium(III)-Verbindungen durch Umsetzung von Tris(cyclopentadienyl)samarium mit (1S,2R,5R)-Isomenthol, (R)-(+)-Isobutyllactat und (R)-(+)-Methyl-*p*-tolylsulfoxid
A. Steudel, J. Stehr, E. Siebel und R.D. Fischer (Hamburg, Germany) 197
Photochemical reactions of alkynyl iron (II) complexes with carbon disulfide. Insertion of CS_2 into an iron–C(sp) bond
V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra (Oviedo, Spain) 207
Halide abstraction as a route to cationic molybdenum(IV) compounds: crystal and molecular structure of $[CpMoCl(MeCN)_4][SbCl_6]_2 \cdot MeCN$
G.R. Willey, T.J. Woodman (Coventry, UK) and M.G.B. Drew (Reading, UK) 213
Syntheses, structures and reactivities of $[Os_6Pd(CO)_{18}(bipy)]$ and $[\{(bipy)Pd\}_2Os_3(CO)_{12}]$: crystal and molecular structures of $[\{(bipy)Pd\}_2(\mu\text{-}H)(\mu\text{-}CO)][H_3Os_4(CO)_{12}]$ and $[(C_4H_9)_4N]_2[Pd_2I_6]$
S. Chan, S.-M. Lee (Hong Kong, Hong Kong), Z. Lin (Kowloon, Hong Kong) and W.-T. Wong (Hong Kong, Hong Kong) 219
Synthesis, characterization and structure of the ethylene-bridged dimer $[Cp(CO)_2RuCH_2CH_2Ru(CO)_2Cp]$ and comparison of its reactivity with that of $[Cp(CO)_2RuCH_2CH_3]$ and $[Cp(CO)_2Ru(CH_2)_5Ru(CO)_2Cp]$: models for Fischer–Tropsch surface intermediates
M.A. Gafoor, A.T. Hutton and J.R. Moss (Rondebosch, South Africa) 233
Molecular structure of some [1.1]ferrocenylruthenocenophanium^{n+} ($n = 1, 2$) polyiodides salts
M. Watanabe, I. Motoyama (Yokohama, Japan) and H. Sano (Tokyo, Japan) 243
Some additional aspects of versatile starting compounds for cationic organoiron complexes: molecular structure of the aqua complex $[(\eta^5\text{-}C_5Me_4Et)Fe(CO)_2(OH_2)]BF_4$ and solution behavior of the THF complex $[(\eta^5\text{-}C_5R_5)Fe(CO)_2(THF)]BF_4$
M. Akita, M. Terada, M. Tanaka and Y. Morooka (Yokohama, Japan) 255
Thermochemistry of organosilicon compounds. VII. Permethylcyclosilazanes and 1,1,3,3-tetramethyldisilazane
M.G. Voronkov (Irkutsk, Russia), V.A. Klyuchnikov and L.I. Marenkova (Kemerovo, Russia) 263
Seven-coordinate dioxygen complexes from dioxygen addition to five-coordinate σ-phenyl, isocyanide-containing derivatives of ruthenium(II) and osmium(II). Crystal structures of $Os(\eta^2\text{-}O_2)(\eta^2\text{-}CPh{=}N\text{-}p\text{-chlorophenyl})Cl(PPh_3)_2$ and $Os(\eta^2\text{-}SO_4)(\eta^2\text{-}CPh{=}N\text{-}p\text{-chlorophenyl})Cl(PPh_3)_2$
S.M. Maddock, C.E.F. Rickard, W.R. Roper and L.J. Wright (Auckland, New Zealand) 267
Oxidation of organometallic complexes by water: Synthesis of diorgano(hydroxo)platinum(IV) complexes and the structure of a diorgano(aqua)platinum(IV) complex of tris(pyridin-2-yl)methanol, $[PtPh_2\{(py)_3COH\text{-}N,N',N''\}(OH_2)][NO_3]_2 \cdot H_2O$
A.J. Canty, S.D. Fritsche, H. Jin, R.T. Honeyman, B.W. Skelton and A.H. White (Hobart, Nedlands, Australia) 281
Synthesis and structure of 1 : 1 complex of dimethyltin dichloride with *meso*-1,2-bis(α-diethoxyphosphorylbenzylamino)ethane
J. Lorberth, S. Wocadlo, W. Massa (Marburg/Lahn, Germany), E.V. Grigoriev, N.S. Yashina, V.S. Petrosyan (Moscow, Russia) and P. Finocchiaro (Catania, Italy) 287
Synthesis and characterisation of $[(C_5Me_4R)_2NbS_2]_2M$ complexes (M = Fe, Co; R = Me, Et): organometallic tetrathiometalates with niobocene ligands
H. Brunner (Regensburg, Germany), M.M. Kubicki (Dyon, France), G. Gehart, E. Lehrl (Regensburg, Germany), D. Lucas (Dyon, France), W. Meier (Regensburg, Germany), Y. Mugnier (Dyon, France), B. Nuber (Heidelberg, Germany), B. Stubenhofer and J. Wachter (Regensburg, Germany) 291
Selective crystallization of di-*sec*-butylmagnesium. *N,N,N',N'*-tetramethylethylenediamine from solutions containing mixtures of normal-butyl and secondary-butyl isomers
N.D.R. Barnett (Glasgow, UK), W. Clegg (Newcastle upon Tyne, UK), R.E. Mulvey (Glasgow, UK), P.A. O'Neil (Newcastle upon Tyne, UK) and D. Reed (Edinburgh, UK) 297

Author Index 301

Subject Index 303

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.